


1 Clifford A. Chanler, State Bar No. 135534
2 Syda Kosofsky, State Bar No. 172184
3 CHANLER & ASSOCIATES
4 1700 Montgomery Street, Suite 110
5 San Francisco, CA 94111
6 Tel: (415) 391-1122

7 Attorneys for Plaintiff
8 AS YOU SOW

FILED

JUN 19 1995

HOWARD HANSON
MARIN COUNTY CLERK

By  Deputy

9 SUPERIOR COURT OF THE STATE OF CALIFORNIA

10 IN AND FOR THE COUNTY OF MARIN

11 AS YOU SOW, a non-profit
12 corporation,

13 Plaintiff,

14 v.

15 IDEAL STENCIL MACHINE & TAPE
16 COMPANY; et al.,


17 Defendants.

Case No. 163267


STIPULATION FOR
ENTRY OF JUDGMENT

18 IT IS HEREBY STIPULATED, by and between plaintiff As
19 You Sow and defendant Ideal Stencil Machine & Tape Company,
20 through their respective representatives, that judgment in the
21 above-entitled action be entered in accordance with the terms
22 of the settlement agreement between the parties, which is
23 attached hereto as Exhibit A.

24 Dated: ^{June} ~~May~~ 9, 1995

by: 
Syda Kosofsky
Attorneys for Plaintiff
AS YOU SOW

26 Dated: ^{June} ~~May~~ 7, 1995

27 by: 
Marco Ziniti, President
Defendant IDEAL STENCIL
28 MACHINE & TAPE COMPANY

00187400 06/21/95CLERK* 182.00

SETTLEMENT AGREEMENT

On ~~July~~^{June} 7, 1995 in San Francisco, California, As You Sow ("AYS") and Ideal Stencil Machine & Tape Company ("Ideal") agreed to the following terms and conditions:

WHEREAS:

AYS is a not-for-profit public interest foundation dedicated to promoting consumer awareness, protecting the environment and improving human health; and

Ideal is an Illinois company that currently manufactures and distributes stencil inks, markers, and lacquers, some of which contain toluene and, in the past, lead chromate; and

On January 1, 1991, the State of California officially listed the chemical toluene as a chemical known to cause birth defects or other reproductive harm, pursuant to Health & Safety Code §25249.8; and

On February 27, 1987, the State of California officially listed the chemical lead as a chemical known to cause reproductive toxicity, and on October 1, 1992, the State of California officially listed the chemical lead (and lead compounds) as a chemical known to cause cancer, pursuant to Health & Safety Code §25249.8; and

On February 27, 1987, the State of California officially listed the chemical chromium as a chemical known to cause cancer, pursuant to Health & Safety Code §25249.8; and

A list of the ink and marker products containing toluene and lead chromate as intended ingredients¹ which are covered by this Agreement is provided in Exhibit A (the "Products"). The Products have been manufactured by Ideal for sale and/or use nationally, and some were sold and/or used in California since February 27, 1988; and

On December 9, 1994, AYS served Ideal with a document entitled "60-Day Notice" which provided Ideal with notice that it was allegedly in violation of Health & Safety Code §25249.6 for failing to warn purchasers that certain products it sells in California expose users to Proposition 65-listed chemicals, including toluene; and

¹ The term "intended ingredients" as used in this Agreement shall not include trace amounts of chemicals which are not part of the formulation of the Products but appear as impurities in the Products.

On February 7, AYS served Ideal with an additional document entitled "60-Day Notice" of its alleged failure to provide warnings relating to its alleged failure to provide warnings relating to Proposition 65-listed chemicals, including chromium (hexavalent compounds), dichloromethane (methylene chloride), tetrachloroethylene (perchloroethylene) and lead in violation of Health & Safety Code §25249.6; and

On March 6, 1995, AYS filed a complaint entitled As You Sow v. Ideal Stencil Machine & Tape Company, et al. (No. 163267) in Marin County Superior Court alleging violations of Business & Professions Code §17200 and Health & Safety Code §25249.6 on behalf of individuals in California who are being allegedly exposed to Proposition 65-listed chemicals including toluene in certain Ideal products; and

On April 11, 1995, AYS filed an amended complaint entitled As You Sow v. Ideal Stencil Machine & Tape Company, et al. (No. 163267) in Marin County Superior Court alleging violations of Business & Professions Code §17200 and Health & Safety Code §25249.6 on behalf of individuals in California who are being allegedly exposed to Proposition 65-listed chemicals including toluene and lead in certain Ideal products; and

Methylene chloride has not been used in the formulation of any Ideal products since 1982, lead chromate was discontinued as part of the formulation of all Ideal markers and inks in June 1994 and was not used to fill the markers and inks after October 1994, and toluene was discontinued as part of the formulation of all Ideal products except spray inks in December 1994; and

NOW, THEREFORE, THE PARTIES AGREE AS FOLLOWS:

1. **Product Labeling.** Ideal agrees that as of June 1, 1995, it shall not ship (or cause to be shipped) any of the Products containing toluene for sale or use in the State of California unless each such Product contains one of the following warning statements on its label, or as to current inventory, the Product labeling complies with ¶2 herein:

"WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm."

This warning statement shall be prominent and displayed with such conspicuousness, as compared with other words, statements, or designs as to render it likely to be read and understood by an ordinary individual. An exemplar of a satisfactory label is attached hereto as Exhibit B.

2. **Current Production.** In an effort to ensure that individuals receive Proposition 65 warnings during the period while Ideal produces labels in accordance with ¶1, Ideal has been affixing, and shall continue to affix, warning stickers to any and all Products containing toluene it manufactures, distributes, or sells and which Ideal knows, or has reason to know, will enter the State of California. The stickers are printed in black ink on a white background and display the following statement:

"WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm."

An exemplar of a satisfactory warning sticker is attached hereto as Exhibit C.

3. **Interim Warning Materials.** In an effort to ensure that individuals receive Proposition 65 warnings during the period while Ideal produces labels in accordance with ¶1, Ideal agrees that by June 1, 1995, it shall provide interim warning materials to its customers that Ideal knows or has reason to believe sell, use or distribute the Products in California in an effort to ensure that users receive Proposition 65 warnings for Products that have not been labelled pursuant to ¶1. The interim warning materials shall include sufficient warning stickers, a Notice letter providing instructions for the placement of the stickers, and a Notice and Acknowledgment postcard. The Notice letter is attached hereto as Exhibit D. The Notice and Acknowledgment postcard is attached hereto as Exhibit E. After 15 days, if a customer has not returned the Notice and Acknowledgment postcard, Ideal shall suspend shipments of the Products to such customer until such customer agrees to place the stickers on the Products. For Products containing lead chromate, the warning stickers shall display the warning statement:

"WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm."

4. **MSDS Revisions.** Beginning immediately, Ideal will initiate revisions to its current MSDSs for the Products so that the warning or warnings will be consistent in wording with the on-label warning language required by ¶1. Final printed MSDSs incorporating the revised warnings will begin to be distributed in the normal course of business but in any event no later than June 1, 1995. An example of an acceptable MSDS is attached as Exhibit F.

5. Settlement Amount.

5.1. Restitution and Investigation Costs. Ideal agrees to pay \$9000 to AYS upon execution of this Agreement. The restitutionary component of this sum, made pursuant to Business & Professions Code §17203, shall be distributed to Unplug, a non-profit organization located in Oakland, California, which publishes an environmental newsletter for students. The cost component of this sum will be used by AYS to help defray its investigation fees and costs, expert fees, reasonable attorneys' fees, and any other costs incurred as a result of investigating, bringing this matter to Ideal's attention, litigating and negotiating a settlement in the public interest.

5.2. Penalties. Pursuant to Health & Safety Code §25249.7(b), Ideal shall pay a civil penalty of \$6000, payable in two installments. The first installment shall be due on or before July 1, 1995. The first installment will be waived upon written certification to AYS from Ideal, before June 15, 1995, that Ideal has reformulated all Products except its Handy Spray Ink Products to eliminate Proposition 65 chemicals as intended ingredients. The second installment shall be due on or before March 1, 1996. The second installment will be waived upon written certification to AYS from Ideal, before February 15, 1996, that Ideal has reformulated its Handy Spray Ink Products to eliminate Proposition 65 chemicals as intended ingredients. Penalty monies shall be apportioned by AYS in accordance with Health & Safety Code §25192.

6. AYS Release. AYS, by this Agreement, waives all rights to institute action against Ideal, its distributors or retailers which sell Ideal's Products, whether under Proposition 65, Business & Profession Code §§17200 et seq., or any other statute or common law claim based on Ideal's alleged failure to warn consumers about exposure to Proposition 65 chemicals from any of the Products identified in Exhibit A.

7. Ideal Release. Ideal, by this Agreement, waives all rights to institute any form of legal action against AYS, its members, officers, directors, attorneys and representatives (the "AYS Releasees") based on any statute or provision of common law and for all actions or statements made by the AYS Releasees in the course of seeking enforcement of Proposition 65 against Ideal.

8. **Supplier Information.** Ideal agrees to provide AYS with all Material Safety Data Sheets which Ideal has received from its suppliers of toluene and lead chromate and retained during the last two years.
9. **Stipulated Judgment.** The parties shall file a stipulated judgment to be approved pursuant to CCP §664.6 by the Marin County Superior Court in accordance with the terms of this agreement.
10. **Unenforceability.** In the event that any of the provisions of this Agreement are held by a court to be unenforceable, the validity of the enforceable provisions shall not be adversely affected.
11. **Attorneys' Fees.** In the event that a dispute arises with respect to any provision(s) of this Agreement, the prevailing party shall be entitled to recover costs and reasonable attorneys' fees.
12. **Governing Law.** The terms of this Agreement shall be governed by the laws of the State of California.
13. **Correspondence.** All correspondence to AYS shall be mailed to:

Syda Kosofsky, Esq.
Chanler & Associates
1700 Montgomery Street, Suite 110
San Francisco, CA 94111

All correspondence to Ideal shall be mailed to:

Dennis Rose, Esq.
Donovan, Rose, Nester & Szewczyk, P.C.
8 East Washington St.
Belleville, IL 62220-2190

14. **No Admission.** Nothing in this Agreement shall be construed as an admission by Ideal of any fact, finding, issue of law, or violation of law, nor shall compliance with this Agreement constitute or be construed as an admission by Ideal of any fact, finding, conclusion, issue of law, or violation of law. However, this paragraph shall not diminish or otherwise affect the obligation, responsibilities, and duties of Ideal under this Agreement.
15. **Authority to Execute.** The undersigned are authorized to execute this Agreement on behalf of their respective parties and have read, understood and agree to all of the terms and conditions of this Agreement.

AGREED TO:

By: _____

Kenay
As You Sow

Dated: _____

6/12/95

AGREED TO:

By: _____

[Signature]
Ideal Stencil Machine &
Tape Company

Dated: _____

June 7, 1995

EXHIBIT A

1. Ideal Mark Yellow
2. 2017 Orange Markers
3. 2017 Yellow Markers
4. DO Yellow Ink
5. Handy Spray Ink (all colors)

**High Quality
Marking Equipment and
Supplies Since 1911.**

HMIS & NFPA RATINGS	
HEALTH	2
FLAMMABILITY	3
REACTIVITY	0

**NET CONTENTS:
13oz/368.5g**

! DANGER!
**EXTREMELY
FLAMMABLE.**
**CONTENTS
UNDER
PRESSURE.**
VAPORS HARMFUL.
**HARMFUL OR
FATAL IF
SWALLOWED.**
**KEEP OUT OF
REACH OF
CHILDREN.**
**FOR INDUSTRIAL
USE ONLY.**
**CAREFULLY READ
PRECAUTIONS ON
SIDE PANEL AND
MSDS BEFORE
USING.**

IDEAL
STENCIL
INK

**HANDY
SPRAY INK**

**CAP COLOR APPROXIMATES
INK COLOR**

DANGER! Contains Toluene CAS 108-88-3, Acetone CAS 67-64-1, Xylene CAS 1330-20-7, Propane CAS 74-98-6, Butane CAS 106-97-8, Isobutane CAS 75-28-5 and Kaolin CAS 1332-58-7. In addition, black contains Carbon Black CAS No. 1333-86-4; Acrylic Copolymer CAS No. 28262-63-7; tan contains VM&P Naphtha; Yellow Iron Oxide CAS No. 51274-00-1 and Titanium Dioxide CAS No. 13463-67-7. Vapor harmful and flammable. May cause irritation to eyes, skin and respiratory tract. Avoid breathing vapor or mist. Use only with adequate ventilation. Keep product away from heat, flame, sparks and sources of static discharge. Do not puncture or incinerate can. Do not store above 120°F (49°C). Avoid contact with eyes and skin. In case of contact with eyes flush immediately with plenty of water for 15 minutes and contact a physician. Wear safety goggles. If swallowed do not induce vomiting. Call a physician immediately.

WARNING: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.

NOTICE: Repeated and prolonged overexposure to solvents has been associated with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be fatal.

Handy Spray® Inks for marking, color coding, stenciling on most surfaces in eight colors (Black, blue, green, orange, red, white, yellow and tan "Covers-Over"). Weather, light, oil resistant, fast drying to meet Fed. Spec. CID-AA208A Type III.

DIRECTIONS FOR USE: Shake well, until agitator ball disperses pigments (one minute). Make sure surface is clean and free from oil, grease or dust. Spray uniformly holding can 6" to 10" from surface. After use, turn can upside down and spray to clear tube and valve.

IDEAL® Stencil Machine & Tape Company
102 Iowa Ave., Box 305 • Belleville, IL 62222-0305
VOICE: 618/233-0162 • TOLL FREE: 1-800-388-0162
FAX: 618/233-5091

EXHIBIT B

WARNING: THIS PRODUCT CONTAINS
A CHEMICAL KNOWN TO THE STATE OF
CALIFORNIA TO CAUSE BIRTH DEFECTS
OR OTHER REPRODUCTIVE HARMS.

EXHIBIT C

IDEAL®

Ideal Stencil Machine & Tape Company

102 Iowa Ave. • P.O. Box 305 • Belleville, IL 62222-0305 • U.S.A. • Phone 618-233-0162 • FAX 618-233-5091

IMPORTANT LEGAL NOTICE

June 1st, 1995

Ideal Distributor
XYZ Street
California

SUBJECT: California Proposition 65 Warnings for Ideal Stencil Products

Dear Distributor:

The following Ideal Stencil products might expose users to **TOLUENE**, a chemical known to the State of California to cause birth defects or other reproductive harm:

Handy Spray Ink (all colors)

The following Ideal Stencil products might expose users to **LEAD CHROMATE**, a chemical known to the State of California to cause cancer and birth defects or other harm:

DO Yellow Ink
2017 Yellow Markers
2017 Orange Markers
Ideal Mark Yellow

Pursuant to the Safe Drinking Water and Toxic Enforcement Act of 1986 ("Proposition 65"), the purchasers and/or users of the above products must be given clear and reasonable warning of those chemicals' reproductive toxicity and/or carcinogenicity.

Although Ideal Stencil has begun labeling and stickering the products with proper warnings, some of your inventory may not contain such warnings. Until the labeling change is completed, you must take certain actions to ensure that users of the products receive Proposition 65 warnings.

Please note that 2017 Yellow and DO Yellow have not contained lead chromate since batch number 4636, therefore batch number 4637 and higher will not require stickers or revised MSDS.

EXHIBIT D

High Quality Marking Equipment & Supplies Since 1911



The following materials will enable you to provide warnings in compliance with the law:

- (1) Warning Stickers; and
- (2) Revised Material Safety Data Sheets
- (3) A return postcard indicating that you have received the enclosed materials and will comply with the warning requirements of Proposition 65 for the products listed above.

Please affix a warning sticker to the container, cap, label or package of each listed product which needs to have a Proposition 65 warning. The sticker must be affixed so that it is conspicuous and likely to be read and understood by an ordinary individual under customer conditions of purchase. Replace the old material safety data sheet with the revised one.

Failure to provide a Proposition 65 warning for the listed products may subject you to legal action by the California Attorney General, wherein monetary penalties of up to \$2,500 per violation could be sought.

Please return the enclosed postcard affirming your compliance with Proposition 65's warning requirements for the listed products. If, within 15 days of mailing, we do not receive the return post card with your signature indicating that you have received the enclosed materials and are prepared to provide the required Proposition 65 warning, we will not be able to provide you with any of the products on the enclosed list until we do receive the postcard.

We sincerely appreciate your cooperation and understanding. We have already changed all the formulations to exclude Proposition 65 Chemicals except for Handy Spray Inks. We are working to remove toluene from that formulation.

Should you have any questions, please do not hesitate to contact Barry Murphey at 1-800-388-0162 by phone, or fax at 618-233-5091. In addition, we will be glad to supply additional warning stickers if requested.


Sincerely,

IDEAL STENCIL MACHINE AND TAPE COMPANY

Marco Ziniti
Executive Vice President

MZ/eb

Encl.



IDEAL STENCIL MACHINE & TAPE CO.
102 IOWA AVE. - P. O. BOX 305
BELLEVILLE, IL 62222-0305

© USPS 1995

MATERIAL SAFETY DATA SHEET

IDEAL

Effective Date: 1-13-95

PRODUCT NAME: HANDY SPRAY INK - TAN

1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Product Identifier: Handy Spray Ink - Tan.

General Use: Aerosol Covers-Over

Product Color: Tan

Ideal Stencil Machine and Tape Company, 102 Iowa Avenue, Belleville, IL 62220

24-hour Emergency Phone: 1-800-535-5053, Business hours Phone: 1-618-233-0162

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT	CAS No.	% by Wt.	Exposure Limits (ppm)			
			OSHA		ACGIH	
			TWA	STEL	TWA	STEL
VM&P Naphtha	64742-89-8	5-10	300	400	300	---
Toluene	108-88-3	20-35	100	150	100	150
Acetone	67-64-1	1-5	750	1000	750	1000
Xylene	1330-20-7	1-5	100	150	100	150
Propellant: Propane	74-98-6	10-15	1000	---	1000	---
Butane	106-97-8	3-7	800	---	800	---
Isobutane	75-28-5	3-7	Not Established			

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Flammable gases and liquids under pressure. Can cause severe irritation to eyes. May act as an asphyxiant.

POTENTIAL HEALTH EFFECTS:

INHALATION: May cause anesthetic irritation of respiratory tract and acute nervous system depression such as headache, dizziness, possible unconsciousness and asphyxiation.

EYE CONTACT: May cause severe irritation, redness, tearing, blurred vision.

SKIN CONTACT: May cause primary irritation, defatting of the skin and dermatitis.

CHRONIC: Does not contain materials listed as cancer causers by NTP, IARC, or OSHA. Overexposure has caused liver abnormalities, kidney, eye, nasal, brain & lung damage in laboratory animals.

This product contains a chemical known to the State of California to cause reproductive harm or birth defects.

Warning: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

4. FIRST AID MEASURES

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

EYE CONTACT: Immediately flush eyes with plenty of water. Get medical attention if irritation persists.

SKIN CONTACT: Wash with soap and water.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES:

Flash Point: -4°F (-20°C) (liquid), -156°F (-104°C), (propell.) Method: TCC

Flammable Limits: 0.9% to 9.5% Autoignition Temperature: Not Available

HAZARDOUS COMBUSTION PRODUCTS: CO, CO₂, hydrocarbon combustion products.

EXTINGUISHING MEDIA: Alcohol foam, dry chemical, CO₂.

FIRE FIGHTING INSTRUCTIONS: Cans may rupture over 120°F (49°C), and spill out flammable contents. Use water spray to cool containers.

6. ACCIDENTAL RELEASE MEASURES

Remove all ignition sources and ventilate area. Allow propellant to escape, absorb spilled material, and place in a container for disposal (e.g. incineration).

7. HANDLING AND STORAGE

HANDLING: Do not puncture or incinerate cans.

STORAGE: Keep at temperature below 120°F (49°C). Large quantities should be kept in area designed for NFPA Class 1A Flammable Liquids.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.

RESPIRATORY PROTECTION: Not normally required except in confined areas.

SKIN PROTECTION: Not normally required.

EYE PROTECTION: Wear chemical splash goggles.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Range: -44° to 11°F (-42° to -12°C).

Melting Point: Not Applicable

Vapor Pressure: >14.7 psi

Vapor Density: >1

Solubility in Water: 0%

Specific Gravity: 0.96

Weight/Gallon: 8.0 lbs.

VOC: 585 g/l

Odor: Sharp

% Volatile by Vol.: 61%

Appearance: Tan liquid in aerosol can

Viscosity: Not Available

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: (Conditions to avoid) Heat.

INCOMPATIBILITY: Strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: None.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

Not Available for product.

12. ECOLOGICAL INFORMATION

Not Available for product.

13. DISPOSAL CONSIDERATIONS

Treatment at a licensed facility is recommended.

14. TRANSPORT INFORMATION

Shipped as a "Consumer Commodity" ORM-D (surface, domestic U.S.)

15. REGULATORY INFORMATION

EPCRA: This product contains the following material reportable under Section 313: Toluene, CAS No. 108-88-3, 20-35%; Acetone, CAS No. 67-64-1, 1-5%; Xylenes, CAS No. 1330-20-7, 1-5%.

16 OTHER INFORMATION

HMIS Hazard Rating 2 3 0 (4 = extreme, 0 = negligible)

NFPA Hazard Rating 2 3 0

> = Greater Than

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control, we make no warranties, expressed or implied, except those that may be contained in our written contract of sale or acknowledgment.

MATERIAL SAFETY DATA SHEET

IDEAL

Effective Date: 3-20-95

PRODUCT NAME: HANDY SPRAY INK

1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Product Identifier: Handy Spray Ink

General Use: Aerosol Stencil Ink

Product Color: All Colors Except Tan

Ideal Stencil Machine and Tape Company, 102 Iowa Avenue, Belleville, IL 62220

24-hour Emergency Phone: 1-800-535-5053, Business hours Phone: 1-618-233-0162

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT	CAS No.	% by Wt.	Exposure Limits (ppm)			
			OSHA		ACGIH	
			TWA	STEL	TWA	STEL
Toluene	108-88-3	20-35	100	150	100	150
Acetone	67-64-1	25-40	750	1000	750	1000
Xylene	1330-20-7	1-5	100	150	100	150
Propellant: Propane	74-98-6	10-15	1000	----	1000	----
Butane	106-97-8	3-7	800	----	800	----
Isobutane	75-28-5	3-7	Not Established			

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Flammable gas and liquid under pressure. Can cause severe irritation to eyes. May act as an asphyxiant. Harmful or fatal if swallowed.

POTENTIAL HEALTH EFFECTS:

INHALATION: May cause anesthetic irritation of respiratory tract and acute nervous system depression such as headache, dizziness, possible unconsciousness and asphyxiation.

EYE CONTACT: May cause severe irritation, redness, tearing, blurred vision.

SKIN CONTACT: May cause primary irritation, defatting of the skin and dermatitis.

INGESTION: Material may aspirate into lungs causing chemical pneumonitis, pneumonia, and pulmonary edema.

CHRONIC: Does not contain materials listed as cancer causers by NTP, IARC, or OSHA. Overexposure has caused liver abnormalities, kidney, eye, nasal, brain & lung damage in laboratory animals.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

4. FIRST AID MEASURES

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician immediately.

EYE CONTACT: Immediately flush eyes with plenty of water. Call a physician if irritation persists.

SKIN CONTACT: Wash with soap and water.

INGESTION: Do not induce vomiting. Call a physician immediately.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES:

Flash Point: -4°F (-20°C) (liquid), -156°F (-104°C), (propell.) Method: TCC

Flammable Limits: 1.8% to 9.5%

Autoignition Temperature: Not Available

HAZARDOUS COMBUSTION PRODUCTS: CO, CO₂, hydrocarbon combustion products.

EXTINGUISHING MEDIA: Alcohol foam, dry chemical, CO₂.

FIRE FIGHTING INSTRUCTIONS: Cans may rupture over 120°F (49°C), and spill out flammable contents. Use water spray to cool containers.

6. ACCIDENTAL RELEASE MEASURES

Remove all ignition sources and ventilate area. Allow propellant to escape, absorb spilled material, and place in a container for disposal in accordance with all applicable regulations.

7. HANDLING AND STORAGE

HANDLING: Do not puncture or incinerate cans. Since "emptied" cans contain hazardous residues, observe all precautions with them, also. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

STORAGE: Keep at temperature below 120°F (49°C). Large quantities should be kept in area designed for NFPA Class 1A Flammable Liquids.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

ENGINEERING CONTROLS: Good general ventilation is required. Source point exhaust should be used in confined or high use areas.

RESPIRATORY PROTECTION: Not normally required except in confined areas. In confined areas or wherever TLVs are exceeded use a NIOSH/MSHA approved organic vapor respirator with dust / mist filters.

SKIN PROTECTION: Not normally required. Use impervious gloves if spray will get on hands.

EYE PROTECTION: Wear chemical splash goggles.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Range: -44° to 11°F (-42° to -12°C)	Melting Point: Not Applicable
Vapor Pressure: >14.7 psi	Vapor Density: >1
Solubility in Water: 0%	Specific Gravity: 0.78
Weight/Gallon: 6.5 lbs.	VOC: 670 g/l
Odor: Sharp	% Volatile by Volume: 85.5%
Appearance: Colored liquid in aerosol can	Viscosity: Not Available

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: (Conditions to avoid) Heat.

INCOMPATIBILITY: Strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: None.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

12. ECOLOGICAL INFORMATION

Avoid contamination of natural waterways.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with all Federal, State and Local Laws.

14. TRANSPORT INFORMATION

DOT: "Consumer Commodity" ORM-D (surface, domestic U.S.)

15. REGULATORY INFORMATION

EPCRA: This product contains the following materials reportable under Section 313: Toluene, CAS No. 108-88-3, 20-35%; Acetone, CAS No. 67-64-1, 25-40%; Xylenes, CAS No. 1330-20-7, 1-5%.

16 OTHER INFORMATION

HMIS Hazard Rating 2 3 0 (4 = extreme, 0 = negligible)

NFPA Hazard Rating 2 3 0

> = Greater Than

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control, we make no warranties, expressed or implied, except those that may be contained in our written contract of sale or acknowledgment.